Independence at an incredible price

Chill wherever you want. The Dometic COMBICOOL RC 1200 EGP offers you a choice of power sources to suit any surroundings. The absorption cooler runs on 12-volt supply in the vehicle, on 230-volt mains supply at home or at the campsite and can easily be switched to gas operation at remote locations.

The useful cooler achieves cooling of up to 20°C below ambient temperature and can also make ice cubes for your drinks – an ice cube tray is included. With a capacity of 41 litres and room to store 1.5 and 2.0 litre bottles standing up, the COMBICOOL RC 1200 EGP is the perfect camping cooler. It is also extremely affordable offering all this for an incredibly reasonable price!

Dometic COMBICOOL RC 1200 EGP

4.27

Absorption cooler for 12 volts, 230 volts and gas

Gross capacity		41 litres
Energy supply		230 volts AC 12 volts DC Gas
Input rating	230 volts/12 volts Gas	85 watts 10.6 g/h
Consumption	230 volts 12 volts Gas min./max.	8.6 kWh/24 h 170 Ah /24 h 197/255 g/24 h
Cooling capacity		up to 20°C below ambient temperature
Insulation		Full foam insulation in CFC-free polyurethane foam
System		Absorption cooling
Material		Cabinet of coated sheet steel
Colour		Blue/pale blue
Weight		16 kg
Quality features		Piezo ignition, thermostat regulation in 230-volt mode, 3-stage flame regulation in gas mode, vertical space for 1.5- and 2-litre bottles, recessed grips, sturdy cabinet, ice cube tray
Test mark		Certified to European Gas Appliance Directive 90/396/EEC



Product	Ref. No.	
COMBICOOL RC 1200 EGP, 50 mbar	9105200013	D, CH, A
COMBICOOL RC 1200 EGP, 30 mbar supplied with hose, only permitted for use on a gas socket [coupling]	9105200023	D, CH, A
COMBICOOL RC 1200 EGP, 30 mbar	9105200014	DK, FI, N, S
COMBICOOL RC 1200 EGP, 28–37 mbar	9105200015	F, I, E, NL
COMBICOOL RC 1200 EGP, 28–37 mbar	9105200016	UK

More country-specific models on request.

NEW

Up to 20°C below ambient temperature

12/230 volts

Gas

Robust cabinet, functional design

Ice cube tray included

Value for money!

3-stage flame regulation in gas mode, piezo ignition, thermostat regulation in 230-volt mode



The special lid construction of the RC 1200 eliminates the need for a gasket

Evaporator provides space for an ice cube tray

Vertical space for 1.5- and 2-litre bottles

Contents, specifications and availability are subject to change serving the technical improvement.

Contents, specifications and availability are subject to change serving the technical improvement.



Cooling performance up to
30°C
below ambient temperature

Two cool customers

High performance wherever you need it – Dometic's COMBICOOL RC 1600 and 1700 can cool their contents to as low as 30°C below ambient temperature. This feat makes them the absolute leaders among absorption refrigerators.

When space is tight the RC 1600 comes into its own with its large-volume interior and small exterior dimensions. The RC 1700 offers the largest capacity of any 40-litre-class absorption cooler. The well thought-out internal design means that it can hold up to eight 2-litre bottles. In addition to their outstanding technological features both 3-way absorption coolers share a robust, silver-coloured cabinet, functional design and an ice cube tray.

The RC 1600 has a magnetic seal, the RC 1700 seals tight without a gasket.

3-stage flame regulation in gas mode, piezo ignition, thermostat regulation in 230-volt mode



COMBICOOL RC 1600 EGP and RC 1700 EGP
Vertical space for 1.5- and 2-litre bottles

Dometic COMBICOOL RC 1600 EGP

4.27

Absorption coolers for 12 volts, 230 volts and gas



Gross capacity		33 litres
Energy supply		230 volts AC 12 volts DC Gas
Input rating	230 volts/12 volts Gas	75 watts 10.5 g/h
Consumption	230 volts 12 volts Gas min./max.	1.35 kWh/24 h 150 Ah/24 h 187/252 g/24 h
Cooling capacity		up to 30°C below ambient temperature
Insulation		Full foam insulation in CFC-free polyurethane foam
System		Absorption cooling
Material		Cabinet of coated sheet steel
Colour		Silver-grey
Weight		15 kg
Quality features		Piezo ignition, thermostat regulation in 230-volt mode, 3-stage flame regulation in gas mode, vertical space for 1.5- and 2-litre bottles, recessed grips, sturdy cabinet, ice cube tray
Test mark		Certified to European Gas Appliance Directive 90/396/EEC

Dometic COMBICOOL RC 1700 EGP

Absorption coolers for 12 volts, 230 volts and gas



Gross capacity		41 litres
Energy supply		230 volts AC 12 volts DC Gas
Input rating	230 volts/12 volts Gas	85 watts 10.5 g/h
Consumption	230 volts 12 volts Gas min./max.	1.6 kWh/24 h 170 Ah/24 h 187/252 g/24 h
Cooling capacity		up to 30°C below ambient temperature
Insulation		Full foam insulation in CFC-free polyurethane foam
System		Absorption cooling
Material		Cabinet of coated sheet steel
Colour		Silver-grey
Weight		16 kg
Quality features		Piezo ignition, thermostat regulation in 230-volt mode, 3-stage flame regulation in gas mode, vertical space for 1.5- and 2-litre bottles, recessed grips, sturdy cabinet, ice cube tray
Test mark		Certified to European Gas Appliance Directive 90/396/EEC

Product	Ref. No.	
COMBICOOL RC 1600 EGP, 50 mbar	9105200001	D, CH, A
COMBICOOL RC 1600 EGP, 30 mbar supplied with hose, only permitted for use on a gas socket [coupling]	9105200021	D, CH, A
COMBICOOL RC 1600 EGP, 30 mbar	9105200002	DK, FI, N, S
COMBICOOL RC 1600 EGP, 28–37 mbar	9105200003	F, I, E, NL
COMBICOOL RC 1600 EGP, 28–37 mbar	9105200004	UK
COMBICOOL RC 1700 EGP, 50 mbar	9105200009	D, CH, A
COMBICOOL RC 1700 EGP, 30 mbar supplied with hose, only permitted for use on a gas socket [coupling]	9105200022	D, CH, A
COMBICOOL RC 1700 EGP, 30 mbar	9105200010	DK, FI, N, S
COMBICOOL RC 1700 EGP, 28–37 mbar	9105200011	F, I, E, NL
COMBICOOL RC 1700 EGP, 28–37 mbar	9105200012	UK

More country-specific models on request.

NEW

Up to 30°C below ambient temperature

12/230 volts

Gas

Robust cabinet, functional design

Ice cube tray included

Noiseless operation

Contents, specifications and availability are subject to change serving the technical improvement.

Contents, specifications and availability are subject to change serving the technical improvement.

Refrigeration on wheels ...

The Dometic COMBICOOL RC 4000 EGP has been fitted with sturdy wheels and a pull-out telescopic handle. These make it so mobile it can follow you anywhere – you don't need to worry about how to carry drinks, snacks or food for the barbeque.

Storage volume of 33 litres and refrigeration performance up to 30°C below ambient temperature are offered by this noiseless absorption cooler. It will also supply the ice cubes to go in your chilled drink thanks to the ice cube tray that is included. Cutlery and serviettes can be stored in the practical nets on the front of the appliance. In common with all 3-way refrigerators the COMBICOOL RC 4000 can be run on three different power sources: 12-volt car battery, 230-volt mains power and gas. Enjoy maximum mobility with this top quality absorption fridge.

Pull-out telescopic handle and sturdy wheels for convenient transport

Dometic COMBICOOL RC 4000 EGP

4.27

Absorption cooler for 12 volts, 230 volts and gas

Gross capacity		33 litres
Energy supply		230 volts AC 12 volts DC Gas
Input rating	230 volts/12 volts Gas	80 watts 9.5 g/h
Consumption	230 volts 12 volts Gas min./max.	1.40 kWh/24 h 160 Ah/24 h 156/230 g/24 h
Cooling capacity		up to 30°C below ambient temperature
Insulation		Full foam insulation in CFC-free polyurethane foam
System		Absorption cooling
Material		Injection-moulded plastic cabinet
Colour		Grey
Weight		17 kg
Quality features		Piezo ignition, thermostat regulation in 230-volt mode, min-max regulation in gas mode, capacity for up to 56 cans [330 ml] or 10 large bottles [1.5 litres], vertical space for 1.5- and 2-litre bottles, ice cube tray, recessed grips, flat evaporator, sturdy cabinet, practical net pocket for magazines and accessories, pull-out telescopic handle, sturdy wheels
Test mark		Certified to European Gas Appliance Directive 90/396/EEC



Product	Ref. No.	
COMBICOOL RC 4000 EGP, 50 mbar	9105200017	D, CH, A
COMBICOOL RC 4000 EGP, 30 mbar	9105200018	DK, FI, N, S
COMBICOOL RC 4000 EGP, 28–37 mbar	9105200019	F, I, E, NL
COMBICOOL RC 4000 EGP, 28–37 mbar	9105200020	UK

More country-specific models on request.

NEW

Up to 30°C below ambient temperature

12/230 volts

Gas

Sturdy wheels and pull-out telescopic handle

Two net pockets for accessories

Ice cube tray included

Noiseless operation

Recessed carrying grips for convenient transport by hand

Large, sturdy wheels

Spacious net pockets for accessories

Storage capacity: 10 1.5 litre bottles or 56 330 ml cans

The special lid construction of the RC 4000 eliminates the need for a gasket

Evaporator provides space for an ice cube tray

Min-max regulation in gas mode, piezo ignition, thermostat regulation in 230-volt mode

Handy organiser for connection cables

Contents, specifications and availability are subject to change serving the technical improvement.

Contents, specifications and availability are subject to change serving the technical improvement.