

2023

# FABRIC COLLECTION

DOMETIC BLINDS FABRIC AND SOFT FURNISHINGS  
COLLECTION

 **DOMETIC** **OUTDOOR**







The image shows the interior of a yacht. In the foreground, a woman with long brown hair, wearing a blue patterned sleeveless top, is looking down at something in her hands. Behind her is a light-colored sofa with several pillows. To the left, a wooden table holds a bottle of Pellegrino water and some bread. Above the sofa, there are windows with blinds. A large skylight is visible in the ceiling, showing a view of the sky and a blue object (possibly a lifebuoy) on the deck. The overall atmosphere is bright and modern.

# FABRIC COLLECTION

Dometic are specialists in providing blinds and soft furnishings. Using the highest quality fabrics, our products can be found onboard some of the finest vessels.

Within this fabric collection there are various designs, textures and materials, helping to create the ideal onboard environment for every scenario. If you require a bespoke solution, Dometic can utilize its network and offer custom made blinds or fabrics upon request.




# SKYSCREEN & SKYSHADE

Keep your cabin cool, your eyes free from glare and your skin protected from those annoying insects with the Dometic Oceanair Skyscreen & Skyshades. Options range from quick, retrofit solutions to discrete tailored blinds which subtly blend into the interior of your boat.



# ROLLER FABRICS

Our specially selected roller fabrics have been tested for the marine environment. The thinner nature of these fabrics is perfectly suited to our SKYSCREEN and SKYSHADE products.




**SOLAR WHITE**  
SLR-W

Price Group: 1




**IMAGINE LINEN**  
IMA-LIN

Price Group: 1



**SOLAR BEIGE**  
SLR-B

Price Group: 2



**FLYSCREEN**  
FLY-W

Price Group: 2

# SKYSOL PLEATED

Three contemporary colours for use on our popular SKYSOL Pleatedshade. This product adds a softness to the room, while allowing light to filter into the space.



**CANADA WHITE**  
CAN-W

Price Group: 1



**CANADA BEIGE**  
CAN-B

Price Group: 1



**CANADA GREY**  
CAN-G

Price Group: 1



# SKYSCREEN PLEATED

Introducing our premium 15mm Pleated style fabrics, selected for use in the SKYSCREEN PLEATED range for a blackout experience. These single pleat fabrics are available as standard.




**FLOW BEIGE**  
FLW-B

Price Group: 1



**FLOW WHITE**  
FLW-W

Price Group: 1



**PLEATED FLYSCREEN**  
FLY-BL

Price Group: 1

# SKYSCREEN HONEYCOMB

Dometic's premium 15mm Honeycomb style fabrics are ideal for use in SKYSCREEN PLEATED for a complete blackout finish. These double pleat fabrics are available as standard.



**HIVE BEIGE**  
H15-BBE

Price Group: 4




**HIVE WHITE**  
H15-W


Price Group: 4



# TECHNICAL DATA

## ROLLER FABRICS & SKYSOL PLEATED


| SKYSCREEN & SHYSHADE / ROLLER  | SOLAR WHITE SLR-W | IMAGINE LINEN IMA-LIN | SOLAR BEIGE SLR-B | FLYSCREEN FLY |
|--|-------------------|-----------------------|-------------------|---------------|
| Price Group  | 1                 | 1                     | 2                 | 2             |
| Fabric Width (mm)  | 1950              | 2900                  | 1950              | 3000          |
| Weight (gsm)   | 300               | 346                   | 300               | 300           |
| Fabric Thickness (mm)  | 0.35              | 0.37                  | 0.35              | 0.28          |
| Polyester (%)  | 100               | 100                   | 100               | 64            |
| Fibreglass (%)   | –                 | –                     | –                 | 36            |
| Light Reflection (%)   | 75                | 69                    | 75                | 83            |
| Light Transmission (%)   | 0                 | 0                     | 0                 | 0             |
| Light Absorption (%)   | 25                | 31                    | 25                | 0             |
| Fire Retardant  | None              | EN 13501-1: 2007      | None              | None          |

| SKYSCREEN & SKYSHADE / SKYSOL PLEATED  | CANADA WHITE CAN-W | CANADA BIEGE CAN-B | CANADA GREY CAN-G |
|--|--------------------|--------------------|-------------------|
| Price Group  | 1                  | 1                  | 1                 |
| Max Width (mm)   | 1829               | 1829               | 1829              |
| Weight (gsm)   | 190                | 190                | 190               |
| Fire Retardant  | NFPA 701           | NFPA 701           | NFPA 701          |




# TECHNICAL DATA

## SKYSCREEN PLEATED & HONEYCOMB

| SKYSCREEN PLEATED & HONEYCOMB  | FLOW BEIGE FLW-B | FLOW WHITE FLW-W | PLEATED FLYSCREEN FLY-BL | HIVE BIEGE H15-BBE | HIVE WHITE H15-W |
|--|------------------|------------------|--------------------------|--------------------|------------------|
| Price Group  | 1                | 1                | 1                        | 4                  | 4                |
| Fabric Width (mm)  | 1070             | 1070             | 2950                     | 3000               | 3000             |
| Weight (gsm)   | 105              | 105              | 67                       | 220                | 220              |
| Pleat Size (mm)  | 15               | 15               | 15                       | 15                 | 15               |
| Polyester (%)  | 100              | 100              | 100                      | 100                | 100              |
| Light Reflection (%)   | 90               | 90               | 0                        | 67                 | 67               |
| Light Transmission (%)   | 0                | 0                | 100                      | 0                  | 0                |
| Light Absorption (%)   | 10               | 10               | 0                        | 33                 | 33               |
| Fire Retardant  | FMVSS 302        | FMVSS 302        | None                     | None               | None             |
| Blackout Lining  | N/A              | N/A              | N/A                      | N/A                | N/A              |
| Shaping  | None             | None             | None                     | None               | None             |





# SKYSOL CLASSIC

The Skysol range offers solutions for every application, including: inclines, complex shaped windows and even curved doors. Our classic pleated and honeycomb fabrics give a range of light control types, choose blackout for a good night's sleep, or sheer to create a relaxed ambience and cooler environment during daylight hours.



# SHEER

Sheer fabrics allow in maximum amount of light, whilst preserving day time privacy.

---



**CIRRUS WHITE**  
VO1-V004

Price Group: 1



**HORIZON**  
227-0249

Price Group: 2




**CIRRUS CUSTARD**  
VO1-V001

Price Group: 1



**ETAMINE COTTON**  
VO3-V005

Price Group: 1



**CIRRUS PEWTER**  
VO1-V003


Price Group: 1



# PRIVACY


Privacy fabrics allow restricted light flow, whilst ensuring privacy, even in the evening, ideal for creating that much desired ambience

---




**ELEVATE WHITE**  
PBP-ELW

Price Group: 2




**CHINTZ**  
418-0204

Price Group: 2




**ELEVATE PAPYRUS**  
PBP-EPA

Price Group: 2




**LATICE CREME**  
PBP-LCR

Price Group: 2



**UNO**  
520-0204

Price Group: 3




**ELEVATE GREY**  
PBP-ELG

Price Group: 2

# BLACKOUT

Blackout fabric blocks out sunlight, for complete privacy, room darkening and temperature control.




**AURA SWAN**  
PBP-ASW

Price Group: 3




**SHADOW WHITE**  
SB10-W

Price Group: 4




**SHADOW BEIGE**  
SB10-B

Price Group: 4




**SHADOW GRAPHITE**  
SB10-GT

Price Group: 5



**AURA ELEPHANT**  
PBP-AEL

Price Group: 3



**AURA PANTHER**  
PBB-APA

Price Group: 3



# HONEYCOMB

Honeycomb fabrics feature a unique honeycomb construction. Trapped air within each cell provides effective insulation and an acoustic barrier, helping to keep you cool in summer and warm in the winter.



**WHITE**  
H25-PWH: PRIVACY

Price Group: 4




**BEIGE**  
H25-PBE: PRIVACY

Price Group: 4




**WHITE**  
H25-BWH: BLACKOUT

Price Group: 4




**BEIGE**  
H25-BBE: BLACKOUT

Price Group: 4



**CONCRETE**  
H25-BCO: BLACKOUT

Price Group: 4




**BLACK**  
H25-BBB: BLACKOUT


Price Group: 4

Please note: Honeycomb fabrics are not suitable for shaping.

# TECHNICAL DATA

## SKYSOL SHEER & PRIVACY


| SKYSOL / SHEER  | CIRRUS WHITE<br>VO1-V004 | HORIZON<br>227-0249 | CIRRUS CUSTARD<br>VO1-V001 | ETAMINE COTTON<br>VO3-V005 | CIRRUS PEWTER<br>VO1-V003 |
|---|--------------------------|---------------------|----------------------------|----------------------------|---------------------------|
| Price Group   | 1                        | 2                   | 1                          | 1                          | 1                         |
| Max Width (mm)  | 1980                     | 2350                | 1980                       | 1980                       | 1980                      |
| Weight (gsm)  | 86                       | 76                  | 86                         | 86                         | 86                        |
| Pleat Size (mm)   | 20                       | 20                  | 20                         | 20                         | 20                        |
| Polyester (%)   | 100                      | 100                 | 100                        | 100                        | 100                       |
| Light Reflection (%)  | 50                       | 42                  | 41                         | 37                         | 19                        |
| Light Transmission (%)  | 48                       | 57                  | 44                         | 48                         | 21                        |
| Light Absorption (%)  | 2                        | 1                   | 15                         | 15                         | 60                        |
| Fire Retardant  | M1                       | None                | M1                         | None                       | M1                        |
| Shaping   | Yes                      | Yes                 | Yes                        | Yes                        | Yes                       |

| SKYSOL / PRIVACY   | ELEVATE WHITE<br>PBP-ELW | CHINTZ<br>418-0204 | ELEVATE PAPRYUS<br>PBP-EPA | LATICE CREME<br>PBP-LCR  | UNO<br>520-0204 | ELEVATE GREY<br>PBP-ELG |
|--|--------------------------|--------------------|----------------------------|--------------------------|-----------------|-------------------------|
| Price Group  | 2                        | 2                  | 2                          | 2                        | 3               | 2                       |
| Max Width (mm)   | 1800                     | 1800               | 1800                       | 2100                     | 2400            | 1800                    |
| Weight (gsm)   | 105                      | 105                | 105                        | 120                      | 83              | 105                     |
| Pleat Size (mm)  | 20                       | 20                 | 20                         | 20                       | 20              | 20                      |
| Polyester (%)  | 100                      | 100                | 100                        | 100                      | 100             | 100                     |
| Light Reflection (%)   | 55                       | 55                 | 55                         | 64                       | 44              | 41                      |
| Light Transmission (%)   | 42                       | 35                 | 35                         | 28                       | 54              | 5                       |
| Light Absorption (%)   | 3                        | 10                 | 10                         | 8                        | 2               | 54                      |
| Fire Retardant  | None                     | None               | None                       | BS5867-2, TypeB:<br>2008 | None            | None                    |
| Shaping  | Yes                      | Yes                | Yes                        | Yes                      | Yes             | Yes                     |



# TECHNICAL DATA


## SKYSOL BLACKOUT


| SKYSOL / BLACKOUT  | AURA SWAN<br>PBP-ASW | SHADOW WHITE<br>SB10-W | SHADOW BEIGE<br>SB10-B | SHADOW GRAPHITE<br>SB10-GT | AURA ELEPHANT<br>PBP-AEL | AURA PANTHER<br>PBB-APA |
|--|----------------------|------------------------|------------------------|----------------------------|--------------------------|-------------------------|
| Price Group  | 3                    | 4                      | 4                      | 5                          | 3                        | 3                       |
| Max Width (mm)   | 2100                 | 2350                   | 2350                   | 2350                       | 2100                     | 2100                    |
| Weight (gsm)   | 157                  | 260                    | 260                    | 260                        | 157                      | 157                     |
| Pleat Size (mm)  | 20                   | 20                     | 20                     | 20                         | 20                       | 20                      |
| Polyester (%)  | 100                  | 100%                   | 100%                   | 100%                       | 100                      | 100                     |
| Light Reflection (%)   | 75                   | 85                     | 85                     | 85                         | 75                       | 75                      |
| Light Transmission (%)   | 0                    | 0                      | 0                      | 0                          | 0                        | 0                       |
| Light Absorption (%)   | 25                   | 15                     | 15                     | 15                         | 25                       | 25                      |
| Fire Retardant  | None                 | BS5867-1: 2004         | BS5867-1: 2004         | BS5867-1: 2004             | None                     | None                    |
| Shaping  | None                 | Yes                    | Yes                    | Yes                        | None                     | None                    |

The term 'Blackout' is defined within the industry as exhibiting '0% Light Transmission' according to DIN EN 410 or similar standards. This relates to how well the fabric absorbs or reflects light across the electromagnetic spectrum, including the visible range (typically 380–780nm). However, it does not necessarily imply zero 'light spots'.

# TECHNICAL DATA

## HONEYCOMB PRIVACY & BLACKOUT

| SKYSOL / HONEYCOMB PRIVACY  | WHITE<br>H25-PWH | BEIGE<br>H25-PBE |
|---|------------------|------------------|
| Price Group   | 4                | 4                |
| Fabric Width (mm)   | 3000             | 3000             |
| Weight (gsm)  | 170              | 170              |
| Pleat Size (mm)   | 25               | 25               |
| Polyester (%)   | 100              | 100              |
| Light Reflection (%)  | 60               | 60               |
| Light Transmission (%)  | 30               | 30               |
| Light Absorption (%)  | 10               | 10               |
| Fire Retardant  | None             | None             |

| SKYSOL / HONEYCOMB<br>BLACKOUT   | WHITE<br>H25-BWH | BEIGE<br>H25-BBE | CONCRETE<br>H25-BCO | BLACK<br>H25-BBB |
|--|------------------|------------------|---------------------|------------------|
| Price Group  | 4                | 4                | 4                   | 4                |
| Fabric Width (mm)  | 3000             | 3000             | 3000                | 3000             |
| Weight (gsm)   | 220              | 220              | 220                 | 220              |
| Pleat Size (mm)  | 25               | 25               | 25                  | 25               |
| Polyester (%)  | 100              | 100              | 100                 | 100              |
| Light Reflection (%)   | 97               | 97               | 97                  | 97               |
| Light Transmission (%)   | 0                | 0                | 0                   | 0                |
| Light Absorption (%)   | 3                | 3                | 3                   | 3                |
| Fire Retardant  | None             | None             | None                | None             |

The term 'Blackout' is defined within the industry as exhibiting '0% Light Transmission' according to DIN EN 410 or similar standards. This relates to how well the fabric absorbs or reflects light across the electromagnetic spectrum, including the visible range (typically 380–780nm). However, it does not necessarily imply zero 'light spots'.






Dometic can also provide fabrics in 32mm pleat on request.



# SKYSOL CLASSIC SHAPING

A unique range of fabrics, optimised for shaped windows. A Dometic hinge system facilitates shaping by smoothing the fabric over a jointed rail. It also permits blinds to be tucked up behind valances and/or recesses, allowing for a completely clear

## SHAPING OPTIONS





# ROLLERBLIND

Dometic's range of luxury roller blinds have been designed to optimise and control external light. Adding shade to your yacht's interior both removes any glare from the bright sun and also helps maintain a comfortable, cool temperature. On top of that, you can guarantee your privacy on board while enjoying the stunning views outside.




# SHEER FABRICS

Sheer fabrics allow in maximum light, whilst still preserving daytime privacy.

Whilst you are free to choose from Dometics's wide range of professional fabrics, Dometic Blinds' experienced fabric buyers are on hand to source a fabric of your choice. We are equally comfortable working with fabrics sourced and supplied by you.

---




**BIK WHITE**  
BEA-W

Price Group: 2




**ARCTIC WHITE**  
ARC-W

Price Group: 1



**MOONLIGHT WHITE**  
RS9

Price Group: 3




**FLYSCREEN**  
FLY-W

Price Group: 1

# PRIVACY

Also commonly referred to as Dimout, Privacy fabrics allow in a restricted amount of light, whilst ensuring complete privacy, even in the evening.

---



**AVALANCHE**  
RP2

Price Group: 2



**BRONZE LUSTRE**  
RP-BLU

Price Group: 2


# BLACKOUT FABRICS

Blackout fabric completely blocks out sunlight, for complete privacy, room darkening and temperature regulation.




**WHITE**  
KAR-600

Price Group: 2




**FLOCK WHITE**  
FLK-W

Price Group: 4




**BEIGE**  
KAR-618

Price Group: 2




**SOLAR WHITE**  
SLR-W

Price Group: 1




**OPACITY WHITE**  
RB-OWH

Price Group: 1




**OFF-WHITE**  
KAR-623

Price Group: 2




**EGGSHELL**  
RB-EGG

Price Group: 4



**SOLAR BEIGE**  
SLR-B

Price Group: 2




**LIGHT GREY**  
KAR-608

Price Group: 2



# TECHNICAL DATA

## ROLLERBLIND SHEER

| ROLLERBLIND / SHEER  | BIK WHITE<br>BEA-W | ARCTIC WHITE<br>ARC-W | MOONLIGHT WHITE<br>RS9 | FLYSCREEN<br>FLY-W |
|--|--------------------|-----------------------|------------------------|--------------------|
| Price Group  | 2                  | 1                     | 3                      | 1                  |
| Fabric Width (mm)  | 3000               | 3000                  | 3000                   | 3000               |
| Weight (gsm)   | 430                | 430                   | 430                    | 300                |
| Fabric Thickness (mm)  | 0.55               | 0.55                  | 0.55                   | 0.28               |
| Polyester (%)  | 25                 | 25                    | 25                     | 64                 |
| PVC (%)  | 75                 | 75                    | 75                     | 36                 |
| Fibreglass   | –                  | –                     | –                      | 83                 |
| Light Reflection (%)   | 70                 | 70                    | 70                     | 0                  |
| Light Transmission (%)   | 22                 | 22                    | 22                     | 0                  |
| Light Absorption (%)   | 8                  | 8                     | 8                      | 0                  |
| Fire Retardant  | None               | BS5867, TypeB         | BS5867, TypeB          | None               |
| Cupping  | Ω                  | Ω                     | Ω                      | Ω                  |
| Aspect Ratio   | *                  | *                     | *                      | *                  |
| Rail Roding  | *                  | *                     | *                      | *                  |

∅ No cupping (does not apply to rail roaded blinds)

Ω ←20mm + 0.5% tolerance. For all other fabrics, seek technical advice.


# Suitable for rail roading, (change of orientation) cupping tolerances subject to increase.

¥ Fabrics with an aspect ratio of 4:1. For all other fabrics, seek technical advice.

\* Suitability dependant on product and dimensions. Seek Dometic technical advice.

# TECHNICAL DATA

## ROLLERBLIND PRIVACY

| ROLLERBLIND / PRIVACY  | AVALANCHE<br>RP2 | BRONZE LUSTRE<br>RP-BLU |
|--|------------------|-------------------------|
| Price Group  | 2                | 2                       |
| Fabric Width (mm)  | 2350             | 3000                    |
| Weight (gsm)   | 220              | 260                     |
| Fabric Thickness (mm)  | 0.4              | 0.45                    |
| Polyester (%)  | 100              | 100                     |
| Light Reflection (%)   | 55               | 34                      |
| Light Transmission (%)   | 40               | 20                      |
| Light Absorption (%)   | 5                | 46                      |
| Fire Retardant  | M1               | BS5867, TypeB           |
| Cupping  | *                | Ω                       |
| Aspect Ratio   | *                | *                       |
| Rail Roding  | 0                | *                       |

∅ No cupping (does not apply to rail roded blinds)

Ω ←20mm + 0.5% tolerance. For all other fabrics, seek technical advice.

# Suitable for rail roding, (change of orientation) cupping tolerances subject to increase.

¥ Fabrics with an aspect ratio of 4:1. For all other fabrics, seek technical advice.

\* Suitability dependant on product and dimensions. Seek Dometic technical advice.

# TECHNICAL DATA

## ROLLERBLIND BLACKOUT

| ROLLERBLIND / BLACKOUT       | FLOCK WHITE FLK-W | SOLAR WHITE SLR-W | OPACITY WHITE RB-OWH | EGGSHELL RB-EGG | SOLAR BEIGE SLR-B |
|------------------------------|-------------------|-------------------|----------------------|-----------------|-------------------|
| Price Group                  | 4                 | 1                 | 1                    | 4               | 2                 |
| Fabric Width (mm)            | 2400              | 1950              | 3000                 | 2500            | 1950              |
| Weight (gsm)                 | 500               | 300               | 400                  | 346             | 300               |
| Fabric Thickness (mm)        | 0.47              | 035               | 0.38                 | 0.55            | 0.35              |
| Polyester (%)                | –                 | 100               | 100                  | –               | 100               |
| Fibreglass                   | 100               | –                 | –                    | 100             | –                 |
| Light Reflection (%)         | 70                | 75                | 83                   | 67              | 75                |
| Light Transmission (%)       | 0                 | 0                 | 0                    | 0               | 0                 |
| Light Absorption (%)         | 30                | 25                | 19                   | 33              | 25                |
| Fire Retardant <sup>FR</sup> | M1                | None              | None                 | M1              | None              |
| Cupping                      | ∅                 | Ω                 | Ω                    | ∅               | Ω                 |
| Aspect Ratio                 | ¥                 | *                 | *                    | ¥               | *                 |
| Rail Roading                 | ≠                 | No                | No                   | ≠               | No                |

| ROLLERBLIND / BLACKOUT       | WHITE KAR-600 | BIEGE KAR-618 | OFF-WHITE KAR-623 | LIGHT GREY KAR-608 |
|------------------------------|---------------|---------------|-------------------|--------------------|
| Price Group                  | 2             | 2             | 2                 | 2                  |
| Fabric Width (mm)            | 300           | 300           | 300               | 300                |
| Weight (gsm)                 | 290           | 290           | 290               | 290                |
| Fabric Thickness (mm)        | 0.35          | 0.35          | 0.35              | 0.35               |
| Fire Retardant <sup>FR</sup> | M1            | M1            | M1                | M1                 |

∅ No cupping (does not apply to rail roaded blinds)


Ω ←20mm + 0.5% tolerance. For all other fabrics, seek technical advice.

≠ Suitable for rail roading, (change of orientation) cupping tolerances subject to increase.

¥ Fabrics with an aspect ratio of 4:1. For all other fabrics, seek technical advice.

\* Suitability dependant on product and dimensions. Seek Dometic technical advice.





# SKYVIEW

Skyview offers the functionality and tilt control of a venetian blind with the simplicity of a roller blind. The blind can be completely stowed out of sight onto a single roller. When deployed it ensures privacy and heat protection. The open tilt allows for perfect views and light control.

# DESIGNER INSPIRED

Dometic Skyview, is a hybrid venetian and roller blind, with the best of each blended into one. Tilting horizontal vanes are suspended between two sheer fabric facings offering light diffusion and privacy without spoiling the view.



## POWDER - LIGHT FILTERING

POW

Price Group: 2


## OTHER FABRIC ALTERNATIVES AVAILABLE UPON REQUEST

Dometic are able to offer an array of Skyview fabrics. These are available upon request, with a variety of colours, sizes and textures available to select from. For more information please contact your Dometic sales representative

# TECHNICAL DATA

## SKYVIEW FABRICS

| SKYVIEW                        | POWDER<br>POW |
|--------------------------------|---------------|
| Price Group                    | 2             |
| Fabric Width (mm)              | 3000          |
| Weight (gsm)                   | 152           |
| Vane Size (mm)                 | 40            |
| Polyester (%)                  | 100           |
| UV Blockage (%) (Vanes Open)   | 87            |
| UV Blockage (%) (Vanes Closed) | 99            |




# SKYVENETIAN ALLOY

Classic in design but contemporary in look, venetian blinds enable light control and privacy on board, while also allowing you to enjoy the view outside! Our venetian blinds can be completely customised to meet your style needs, incorporating a range of materials from durable aluminium to soft-to-touch leather. How will you customise your Sky venetian blind?



# ALLOY

A contemporary slat range, precision cut for a flawless finish. Each slat has been heat treated and curved for best in class durability and a small stack height.




**BIANCO**

BI 16,25,50MM Price Group: 1



**POWDER**

PW 16,25,50MM Price Group: 2



**PEARL**


PL 16,25,50MM Price Group: 2

50mm



**SILVER BULLION**

SB 16,25,50MM Price Groups: 1 & 2



**BRUSHED WHITE**


BW 16,25,50MM Price Group: 2



**MATTE SILVER**

MS 16,25,50MM Price Group: 2

25mm



**GOLD BULLION**

GB 16,25,50MM Price Groups: 1 & 2



**SILVER**


SI 16,25,50MM Price Groups: 1 & 2



**GRIS**


GR 16,25,50MM Price Groups: 1 & 2

16mm




**BRUSHED BRONZE**

BB 16,25MM Price Group: 1



**BASALT**

BA 16,25,50MM Price Groups: 1 & 2




**SATIN ONYX**

SO 16MM Price Group: 1



**CONCRETE**

CO 16,25,50MM Price Groups: 1 & 2



**MATTE BLACK**

MB 16, 25, 50MM Price Group: 1

# TECHNICAL DATA

## SKYVENETIAN ALLOY

| SKYVENETIAN ALLOY                               | 16MM SLAT WIDTH | 25MM SLAT WIDTH | 50MM SLAT WIDTH |
|---|-----------------|-----------------|-----------------|
| Max Width (mm)                                  | 2700            | 3000            | 3000            |
| Slat Thickness (mm)                             | 0.16            | 0.21            | 0.21            |
| Max Area Manual (m <sup>2</sup> ) <sup>1</sup>  | 6               | 6               | 5.6             |
| Max Area Powered (m <sup>2</sup> ) <sup>2</sup> | N/A             | 10              | 17              |

<sup>1</sup> Max area of blind (multiply width by drop) - Powered operation is recommended for blinds that exceed 2.4m<sup>2</sup> (weighing over 6kg).


N.B. Max area of powered blind is with a Somfy Sonesse 40 motor.

<sup>2</sup> Available on application, lead-times may vary.


# ALLOY SHAPING

Skyvenetian blinds can come in a variety of shaped options, handmade to suit any interior environment. Below are some of the standard options available, please enquire with Dometic Blinds for other, more complex shape options.


---




SHAPE 01




SHAPE 02




SHAPE 03




SHAPE 04




SHAPE 05



SHAPE 06




SHAPE 07



SHAPE 08





# SKYVENETIAN WOOD

Classic in design but contemporary in look, venetian blinds enable light control and privacy on board, while also allowing you to enjoy the view outside! Our venetian blinds can be completely customised to meet your style needs, incorporating a range of materials from durable aluminium to soft-to-touch leather. How will you customise your Sky venetian blind?

# CLASSIC

## Warm

A collection of our bestselling woods; choose from a Warm or Cool palette to suit any interior.



**HONEY OAK**

HO 25,50MM


Price Group: 1



**CHERRY**

CH 25,50MM

Price Group: 1



**AMERICAN WALNUT**

AW 25,50MM

Price Group: 1


50mm



**RED MAHOGANY**

RM 25,50MM

Price Group: 1



**EUROPEAN WALNUT**

EW 25,50MM


Price Group: 1

25mm

# CLASSIC

## Cool


A collection of our bestselling woods; choose from a Warm or Cool palette to suit any interior.



**WHITE**

W 25,50MM

Price Group: 1



**OFF WHITE**

OW 25,50MM

Price Group: 1



**SMOKE**

SM 25,50MM

Price Group: 1


50mm



**CLOUDY DAY**

CD 25,50MM

Price Group: 1



**EBONY**

EY 25,50MM

Price Group: 1

25mm

# TECHNICAL DATA

## SKYVENETIAN WOOD

| SKYVENETIAN WOOD                               | 25MM SLAT WIDTH | 50 MM SLAT WIDTH |
|--|-----------------|------------------|
| Max Width (mm)                                 | 2400            | 2400             |
| Slat Thickness (mm)                            | 2.4             | 2.8              |
| Max Area Manual (m <sup>2</sup> ) <sup>1</sup> | 3.6             | 3.2              |
| Max Area Powered (m <sup>2</sup> )             | 12.4            | 10.9             |

<sup>1</sup> Max area of blind (multiply width by drop) – Powered operation is recommended for blinds that exceed 6kg. N.B. Max area of powered blind is with a Somfy Sonesse 40 motor. Classic slats are stocked, Classic price list applies. Wood is a natural product. Slat colours and wood grain may vary from batch to batch and from those shown in this document.

## SKYVENETIAN LEATHER

Dometic are able to offer premium Skyvenetian leather slats as an alternative to alloy or wood. These are available upon request, with a variety of colours, sizes and textures available to select from. For more information please contact your Dometic sales representative



### TAPES & LADDERS

Option of tape or string ladders available



### RANGE OF SLAT SIZES

Choose from a wide range of slat sizes specific for your project's needs




### OPTIONAL SIDE TRACKS

Side tracks are a great alternative to guide wires for a sophisticated look




# WOOD SHAPING


Skyvenetian blinds can come in a variety of shaped options, handmade to suit any interior environment. Below are some of the standard options available, please enquire with Dometic Blinds for other, more complex shape options.




SHAPE 01




SHAPE 02




SHAPE 03




SHAPE 04




SHAPE 05



SHAPE 06



SHAPE 07



SHAPE 08



# SOFT FURNISHINGS

Our fully customisable blinds can cater to your every wish. Whilst you are free to choose any fabric for your blinds, our team can also make a recommendation from a thoroughly tested selection of fabrics. Choose from our standard collection for your convenience.

# SHEER

All of our sheer fabrics are suitable for use on curtains and Romanblinds. The nature of these fabrics allows for soft diffusion of light into the interior space, which is aesthetically pleasing, while offering some privacy.



**WHITE**  
SSH-W

Price Group: 2



**LINEN**  
SSH-LI

Price Group: 2



**MIST**  
SSH-MST

Price Group: 2




**NUDE**  
SSH-NU

Price Group: 2

## TECHNICAL DATA

### SOFT FURNISHINGS SHEER

| SOFT FURNISHINGS / SHEER   | WHITE SSH-W        | LINEN SSH-LI            | MIST SSH-MST       | NUDE SSH-NU             |
|--|--------------------|-------------------------|--------------------|-------------------------|
| Price Group  | 2                  | 2                       | 2                  | 2                       |
| Fabric Width (mm)  | 3000               | 3000                    | 3000               | 3000                    |
| Polyester (%)  | 100                | 100                     | 100                | 100                     |
| Fire Retardant  | BS5867 - 2: Type B | BS5867 - 2: Type B, IMO | BS5867 - 2: Type B | BS5867 - 2: Type B, IMO |

# PRIVACY

Privacy fabrics allow restricted light flow, whilst ensuring privacy, even in the evening, ideal for creating that much desired ambience



**SNOW WHITE**  
SFN4

Price Group: 1



**DUNE**  
SFN6

Price Group: 1



**SHINGLE**  
SFE5

Price Group: 1



**SLATE**  
SFG-SL

Price Group: 1

## TECHNICAL DATA

### SOFT FURNISHINGS PRIVACY

| SOFT FURNISHINGS / PRIVACY | SNOW WHITE SFN4 | DUNE SFN6 | SHINGLE SFE5 | SLATE SFG-SL |
|----------------------------|-----------------|-----------|--------------|--------------|
| Price Group                | 1               | 1         | 1            | 1            |
| Fabric Width (mm)          | 1460            | 1460      | 1460         | 1460         |
| Weight (gsm)               | 356             | 356       | 356          | 356          |
| Polyester (%)              | 95              | 95        | 95           | 95           |
| Linen (%)                  | 5               | 5         | 5            | 5            |



**AUSTRALIA**  
**DOMETIC AUSTRALIA PTY. LTD.**

1 John Duncan Court  
Varsity Lakes QLD 4227  
Tel +61 7 55076000  
Mail sales@dometic-waeco.com.au

**FINLAND**  
**OY MARITIM AB**

Veneentekijäntie 1  
Helsinki 00210  
Tel +358 10 2740300  
Mail info@maritimshops.fi

**MONTENEGRO**  
**UNIMAR S.R.L.**

Preluk 6, 51000  
Rijeka  
Tel +003 85 51 512 680  
Mail info@unimar.org

**SWEDEN**  
**THERMOPRODUKTER**

Dragonvagen 6, 392 39  
Kalmar, Sweden  
Tel +46 0 480 425880  
Mail info@thermoprodukter.se

**AUSTRIA**  
**HERMAN GOTTHARDT GMBH**

Leunastrasse 50  
Hamburg 22761  
Tel + +49 0 4085150552  
Mail info@gotthardt-yacht.de

**FRANCE**  
**INTERDIST SAS**

Rue Des Bregeons, Zac Des Mottais  
CS 41837 Saint Malo, Cedex 35418  
Tel + 33 0 2 99 19 54 54  
Mail info@interdist.fr

**NETHERLANDS**  
**WEBASTO THERMO & COMFORT**

Constructieweg 47, 8260 AA  
Kampen, 8260 Kampen  
Tel +31 38 3371137  
Mail info.nl@webasto.com

**SWITZERLAND**  
**BUCHER + WALT**

Route de Soleure 8  
CH-2072 St-Blaise  
Tel +41 32 755 9500  
Mail info@bucher-walt.ch

**CANADA**  
**PAYNES MARINE**

2120 Quadra Street  
Victoria, British Columbia V8T 4C5  
Tel +1 800 663 7483  
Mail sales.paynes@mercmarine.com

**GERMANY**  
**HERMAN GOTTHARDT GMBH**

Leunastrasse 50  
Hamburg 22761  
Tel +49 0 4085150552  
Mail info@gotthardt-yacht.de

**NEW ZEALAND**  
**KIWI YACHTING**

Unit 4, 118 Asquith Avenue  
Mt Albert, Auckland, 1025  
Tel +64 9360 0300  
Mail sales@kiwiyachting.co.nz

**TAIWAN**  
**DRAGONSHORE LTD.**

No 2-3 SinSing Street, 80347  
Kaohsiung, Kaohsiung, Taiwan, 80247  
Tel +886 07 521 3886  
Mail admin@dragonshore.com

**CANADA**  
**PAYNES MARINE**

1-900 Winston Churchill Blvd  
Oakville ON L6J 7X5  
Tel +1 800 668 8223  
Mail sales.paynes@mercmarine.com

**GREECE**  
**NAUTILUS**

38 Posidonos Av, Alimos  
Athens 174 55  
Tel +30 210 9854238  
Mail info@nautilus.gr

**PALMA**  
**VICKERS YACHT CONSULTANCY**

Av Joan Miro 3a, Piso 1, Local C  
I-slas Balears 07014  
Tel +34 871 180 241  
Mail info@vickersyachtconsultancy.com

**THAILAND**  
**SAIL IN SIAM CO. LTD.**

167/3 Ocean Marina, Sukhumvit Road  
Na-Jomtein, Sattahip, 20250 TH  
Tel +66 81 837 5507  
Mail info@sailinsiam.com

**CHINA**  
**STORM FORCE MARINE**

1901 Dominion Centre, 43-59  
Queens Road East, Wanchai  
Tel +852 2866 0114  
Mail sales@stormforcemarine.com

**HONG KONG**  
**STORM FORCE MARINE**

1901 Dominion Centre, 43-59  
Queens Road East, Wanchai  
Tel +852 2866 0114  
Mail sales@stormforcemarine.com

**POLAND**  
**WEBASTO PETEMAR**

Warszawska 205/219  
Lomianki 05-092  
Tel +48 22 732 73 70  
Mail webasto.petemar@webasto.com

**UNITED ARAB EMIRATES**  
**NATHEER TECHNICAL SERVICES**

Al Ghusais, Industrial Area No.3  
Dubai, 85186  
Tel +97 142 67 4450  
Mail info@ntsuae.com

**CROATIA**  
**UNIMAR**

Preluk 6, 51000  
Rijeka  
Tel +003 85 51 512 680  
Mail info@unimar.org

**ITALY**  
**OSCOLATI S.P.A**

Via Pacinotti 12, Segrate  
Milan, 20090  
Tel +39 02 269 9111  
Mail info@oscolati.it

**SLOVENIA**  
**UNIMAR S.R.L.**

Preluk 6, 51000  
Rijeka  
Tel +003 85 51 512 680  
Mail info@unimar.org

**UNITED KINGDOM**  
**DOMETIC UK BLIND SYSTEMS LTD**

Atlantic House, 1-3 Ellis Square  
Selsey, West Sussex PO20 0AY  
Tel +44 124 360 6909  
Mail blindsystems@dometic.com

**CYPRUS**  
**NAUTILUS NAYTILIAKA LTD**

Alexandrias 4  
Limassol TT3013  
Tel + 003 57 25383832  
Mail nautiluscy@cytanet.com.cy

**JAPAN**  
**INDUSTRIAL SUPPLIERS CO. LTD.**

NAC Minato Building 2F, 2-1-24  
Kaigan, Minato-Ku, Tokyo 105-0022  
Tel +81 3 5443 823  
Mail sales@isco.co.jp

**SOUTH AFRICA**  
**CENTRAL BOATING PTY. LTD.**

85 Bree Street  
Cape Town 8001  
Tel +27 21 424 8026  
Mail info@centralboating.com

**USA**  
**DOMETIC US BLIND SYSTEMS**

91 Manchester Valley Road  
Building E, Vermont 05255  
Tel +1 802 362 5258  
Mail blindsystems@dometic.com

**DENMARK**  
**HERMAN GOTTHARDT GMBH**

Leunastrasse 50  
Hamburg 22761  
Tel + +49 0 4085150552  
Mail kl@gotthardt-yacht.de

**MALTA**  
**YACHTING PARTNERS MALTA**

183/4, Marina Street, Pieta  
PTA9042  
Tel +356 2125 2727  
Mail info@ypm.com.mt

**SPAIN**  
**ACASTIMAR**

Poligono Industrial Belianes  
C/Ferrerias, 21-23, 43850, Cambrils  
Tel +34 977 362 118  
Mail ventas@acastimar.com